

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

CLAIMS

1. A compound of general formula




wherein D represents CH_2 or CH_2CH_2 ;

E represents C(O)NH or NHC(O) ;

R^1 and R^2 each independently represent hydrogen, halogen, amino, nitro, $\text{C}_1\text{-C}_6$ alkyl or trifluoromethyl, but R^1 and R^2 may not both simultaneously represent hydrogen;


R^3 represents a group of formula



R^4 represents a $\text{C}_1\text{-C}_6$ alkyl group;

X represents an oxygen or sulphur atom or a group NR^{13} , SO or SO_2 ;

R^5 represents hydrogen, or R^5 represents $\text{C}_1\text{-C}_6$ alkyl or $\text{C}_2\text{-C}_6$ alkenyl, each of which may be optionally substituted by at least one substituent selected from halogen, hydroxyl, (di)- $\text{C}_1\text{-C}_6$ -alkylamino, $-\text{Y-R}^6$,



a 5- or 6-membered heteroaromatic ring comprising from 1 to 4 heteroatoms independently selected from nitrogen, oxygen and sulphur which heteroaromatic ring may itself be optionally substituted by at least one substituent selected from halogen, hydroxyl and $\text{C}_1\text{-C}_6$ alkyl;

Y represents an oxygen or sulphur atom or a group NH, SO or SO_2 ;

R^6 represents a group $-R^7Z$ where R^7 represents a C_2-C_6 alkyl group and Z represents an $-OH$, $-CO_2H$, $-NR^8R^9$, $-C(O)NR^{10}R^{11}$ or $-N(R^{12})C(O)-C_1-C_6$ alkyl group, and, in the case where Y represents an oxygen or sulphur atom or a group NH , R^6 additionally represents hydrogen, C_1-C_6 alkyl, C_1-C_6 alkylcarbonyl, C_1-C_6 alkoxy carbonyl, $-C(O)NR^{14}R^{15}$, $-CH_2OC(O)R^{16}$, $-CH_2OC(O)OR^{17}$ or $-C(O)OCH_2OR^{18}$; R^8 , R^9 , R^{10} , R^{11} and R^{12} each independently represent a hydrogen atom or a C_1-C_6 alkyl group; R^{13} represents hydrogen, C_3-C_8 cycloalkyl, C_3-C_8 cycloalkylmethyl, or R^{13} represents a C_1-C_6 alkyl group optionally substituted by at least one substituent selected from hydroxyl and C_1-C_6 alkoxy; and R^{14} , R^{15} , R^{16} , R^{17} and R^{18} each independently represent a C_1-C_6 alkyl group; with the proviso that when E is $C(O)NH$, X is O , NH or $N(C_1-C_6 \text{ alkyl})$, then R^5 is other than a hydrogen atom or an unsubstituted C_1-C_6 alkyl group; or a pharmaceutically acceptable salt or solvate thereof.

2. A compound according to claim 1, wherein D represents CH_2 .

3. A compound according to claim 1 or claim 2, wherein E represents $NHC(O)$.

4. A compound according to any one of claims 1 to 3, wherein R^1 and R^2 each independently represent a hydrogen, chlorine or bromine atom, or an amino, nitro, C_1-C_3 alkyl or trifluoromethyl group.

5. A compound according to any one of the preceding claims, wherein X represents an oxygen atom or a group NR^{13} .

6. A compound according to claim 5, wherein R^{13} represents hydrogen, $-(CH_2)_2OH$, methyl, ethyl, n-propyl, isopropyl, n-butyl, n-pentyl, n-hexyl, cyclopropyl, cyclopentyl, cyclohexyl or cyclohexylmethyl.

7. A compound according to any one of the preceding claims, wherein R^5 represents a C_1 - C_6 alkyl group substituted by a single substituent $-Y-R^6$.

8. A compound according to any one of the preceding claims, wherein Y represents an oxygen or sulphur atom or a group NH.

9. A compound according to claim 8, wherein R^6 represents $-(CH_2)_2OH$, $-(CH_2)_3OH$, hydrogen, methyl, isopropyl, methylcarbonyl or t-butylcarbonyl.

10. A compound of formula (I), or a pharmaceutically acceptable salt or solvate thereof, according to claim 1 which is selected from:

2-Chloro-5-[[2-(2-hydroxy-ethylamino)-ethylamino]-methyl]-*N*-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide dihydrochloride,

2-Chloro-5-[[2-(2-hydroxyethoxy)ethylamino]methyl]-*N*-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

2-Chloro-5-[(3-hydroxy-2,2-dimethylpropylamino)methyl]-*N*-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

2-Chloro-5-[(5-hydroxypentylamino)methyl]-*N*-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

2-Chloro-5-[[2-[(2-hydroxyethylthio)ethylamino]methyl]-*N*-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

2-Chloro-5-[3-[(2-hydroxyethyl)amino]propyl]-*N*-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide, acetate salt,

2-Chloro-5-[3-[(3-hydroxypropyl)amino]propyl]-*N*-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide, hydrochloride salt,

2-Chloro-5-[3-(methylamino)propyl]-*N*-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide, acetate salt,

2-Chloro-5-[3-[(1-methylethyl)amino]propyl]-*N*-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide, hydrochloride salt,

5-[3-[(2-Amino-2-methylpropyl)amino]propyl]-2-chloro-*N*-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide, dihydrochloride salt,

2-Chloro-5-[3-[(4-hydroxybutyl)amino]propyl]-*N*-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

5 2-Chloro-5-[3-[(2-hydroxy-2-methylpropyl)amino]propyl]-*N*-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide, acetate salt,

2-Chloro-5-[3-[[2-(methylamino)ethyl]amino]propyl]-*N*-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide, dihydrochloride salt,

10 (S)-2-Chloro-5-[3-[(2-hydroxypropyl)amino]propyl]-*N*-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide, hydrochloride salt,

(R)-2-Chloro-5-[3-[(2-hydroxypropyl)amino]propyl]-*N*-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide, hydrochloride salt,

(R)-2-Chloro-5-[3-[(2-hydroxy-1-methylethyl)amino]propyl]-*N*-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide, hydrochloride salt,

15 2-Chloro-5-[3-[[2-hydroxy-1-(hydroxymethyl)-1-methylethyl]amino]propyl]-*N*-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

5-[3-[[2-(Acetylamino)ethyl]amino]propyl]-2-chloro-*N*-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide, hydrochloride salt,

20 2-Chloro-5-[3-[[2-(diethylamino)ethyl]amino]propyl]-*N*-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide, dihydrochloride salt,

2-Chloro-5-[3-[(3-methoxypropyl)amino]propyl]-*N*-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide, hydrochloride salt,

2-Chloro-5-[3-[(3-hydroxy-3-methylbutyl)amino]propyl]-*N*-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide, hydrochloride salt,

25 2-Chloro-5-[3-[(2-methoxyethyl)amino]propyl]-*N*-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide, hydrochloride salt,

2-Chloro-5-[3-[(methylamino)propoxy]methyl]-*N*-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl) benzamide,

30 2-Chloro-5-[[2-[(2-hydroxyethyl)amino]ethoxy]methyl]-*N*-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide, acetic acid salt,

2-Chloro-5-[[2-[(3-hydroxypropyl)amino]ethoxy]methyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide, acetic acid salt,

2-Chloro-5-[[[3-[(1-methylethyl)amino]propyl]amino]methyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

5 5-[[[(3-Aminopropyl)amino]methyl]-2-chloro-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

2-Chloro-5-[[[2-[(1-methylethyl)amino]ethyl]amino]methyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

3-[[[3-[4-Chloro-3-[[[(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)amino]-
10 carbonyl]phenyl]propyl]amino]propanoic acid, 2,2-dimethylpropyl ester, trifluoroacetic acid salt,

5-(2-Aminoethyl)-2-chloro-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)benzamide,

2-Chloro-5-[3-[(2-hydroxyethyl)pentylamino]propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

15 2-Chloro-5-[3-(methyl-2-propenylamino)propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

2-Chloro-5-[3-[[2-(dimethylamino)ethyl]methylamino]propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

5-[3-(Butylethylamino)propyl]-2-chloro-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-
20 benzamide,

2-Chloro-5-[3-(methylpentylamino)propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

2-Chloro-5-[3-[[2-(diethylamino)ethyl]ethylamino]propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

25 2-Chloro-5-[3-[(2-hydroxyethyl)methylamino]propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

2-Chloro-5-[3-(dipropylamino)propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

2-Chloro-5-[3-[(2-hydroxyethyl)(1-methylethyl)amino]propyl]-N-
30 (tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

5-[3-[Butyl(2-hydroxyethyl)amino]propyl]-2-chloro-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

2-Chloro-5-[3-(diethylamino)propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

5 2-Chloro-5-[3-(dimethylamino)propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

5-[3-(Butylmethylamino)propyl]-2-chloro-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

10 2-Chloro-5-[3-[(2-hydroxyethyl)propylamino]propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

2-Chloro-5-[3-[ethyl(2-hydroxyethyl)amino]propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

2-Chloro-5-[3-(dibutylamino)propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

15 2-Chloro-5-[3-(ethylpropylamino)propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

2-Chloro-5-[3-[methyl(1-methylethyl)amino]propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

20 2-Chloro-5-[3-[[3-(dimethylamino)propyl]methylamino]propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

2-Chloro-5-[3-[cyclohexyl(2-hydroxyethyl)amino]propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

2-Chloro-5-[3-(cyclohexylmethylamino)propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

25 2-Chloro-5-[3-(cyclohexylamino)propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

2-Chloro-5-[3-[[1-(hydroxymethyl)-2,2-dimethylpropyl]amino]propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

30 2-Chloro-5-[3-(cyclopropylamino)propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

2-Chloro-5-[3-[[2-(dimethylamino)ethyl]amino]propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

2-Chloro-5-[3-[(3-hydroxy-2,2-dimethylpropyl)amino]propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

5 2-Chloro-5-[3-[(1,1-dimethylethyl)amino]propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

2-Chloro-5-[3-[[3-(dimethylamino)propyl]amino]propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

10 2-Chloro-5-[3-(cyclopentylamino)propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

2-Chloro-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-5-[3-[(1,2,2-trimethylpropyl)amino]propyl]-benzamide,

5-[3-(Butylamino)propyl]-2-chloro-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

15 2-Chloro-5-[3-[[1-(hydroxymethyl)-2-methylpropyl]amino]propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

2-Chloro-5-[3-[(1-methylpropyl)amino]propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

2-Chloro-5-[3-[[2-(methylthio)ethyl]amino]propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

20 2-Chloro-5-[3-[(2-hydroxy-1,1-dimethylethyl)amino]propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

2-Chloro-5-[3-[(cyclohexylmethyl)amino]propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

25 2-Chloro-5-[3-(2-propenylamino)propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

2-Chloro-5-[3-[(2-fluoroethyl)amino]propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

2-Chloro-5-[3-[(2-methoxy-1-methylethyl)amino]propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

2-Chloro-5-[3-[3-(methylamino)propoxy]propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)benzamide, dihydrochloride salt,

5-[[[(1-Aminocyclopropyl)methyl](2-hydroxyethyl)amino]methyl]-2-chloro-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,

5-[[[(2-Hydroxyethyl)[2-(methylamino)ethyl]amino]methyl]-2-methyl-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)-benzamide,


2-Chloro-5-[3-[[2-(1-methyl-1H-imidazol-4-yl)ethyl]amino]propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)benzamide,

2-Chloro-5-[3-[[2-(1H-imidazol-4-yl)ethyl]amino]propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)benzamide, and

2-Chloro-5-[3-[[3-(1H-imidazol-1-yl)propyl]amino]propyl]-N-(tricyclo[3.3.1.1^{3,7}]dec-1-ylmethyl)benzamide.

11. A process for the preparation of a compound of formula (I) as defined in claim 1 which comprises:

(a) when X represents an oxygen or sulphur atom or a group NR¹³, reacting a compound of general formula




wherein L¹ represents a leaving group and D, E, R¹, R² and R⁴ are as defined in formula (I), with a compound of general formula




wherein X' represents an oxygen or sulphur atom or a group NR^{13} , and R^5 is as defined in formula (I), optionally in the presence of a suitable silver salt; or

(b) when X represents SO or SO_2 , reacting a corresponding compound of formula (I) in which X represents a sulphur atom with a suitable oxidising agent; or

(c) when X represents a group NR^{13} , reacting a compound of general formula



wherein R^{20} represents a bond or C_1 - C_5 alkyl group and D, E, R^1 and R^2 are as defined in formula (I), with a compound of general formula



wherein R^5 and R^{13} are as defined in formula (I), in the presence of a reducing agent;

and optionally after (a), (b) or (c) converting the compound of formula (I) obtained to a pharmaceutically acceptable salt or solvate thereof.

12. A pharmaceutical composition comprising a compound of formula (I), or a pharmaceutically acceptable salt or solvate thereof, as claimed in any one of claims 1 to 10 in association with a pharmaceutically acceptable adjuvant, diluent or carrier.

13. A process for the preparation of a pharmaceutical composition as claimed in claim 12 which comprises mixing a compound of formula (I), or a pharmaceutically acceptable salt or solvate thereof, as defined in any one of claims 1 to 10 with a pharmaceutically acceptable adjuvant, diluent or carrier.
14. A compound of formula (I), or a pharmaceutically acceptable salt or solvate thereof, as claimed in any one of claims 1 to 10 for use in therapy.
15. A compound of formula (I), or a pharmaceutically acceptable salt or solvate thereof, as claimed in any one of claims 1 to 10 for use in the treatment of rheumatoid arthritis.
16. A compound of formula (I), or a pharmaceutically acceptable salt or solvate thereof, as claimed in any one of claims 1 to 10 for use in the treatment of chronic obstructive pulmonary disease.
17. Use of a compound of formula (I), or a pharmaceutically acceptable salt or solvate thereof, as claimed in any one of claims 1 to 10 in the manufacture of a medicament for use in therapy.
18. Use of a compound of formula (I), or a pharmaceutically acceptable salt or solvate thereof, as claimed in any one of claims 1 to 10 in the manufacture of a medicament for use in treating rheumatoid arthritis.
19. Use of a compound of formula (I), or a pharmaceutically acceptable salt or solvate thereof, as claimed in any one of claims 1 to 10 in the manufacture of a medicament for use in treating chronic obstructive pulmonary disease.
20. A method of effecting immunosuppression which comprises administering a therapeutically effective amount of a compound of formula (I), or a pharmaceutically

acceptable salt or solvate thereof, as claimed in any one of claims 1 to 10 to a patient in need thereof.

21. A method of treating rheumatoid arthritis which comprises administering a
5 therapeutically effective amount of a compound of formula (I), or a pharmaceutically acceptable salt or solvate thereof, as claimed in any one of claims 1 to 10 to a patient in need thereof.

22. A method of treating chronic obstructive pulmonary disease which comprises
10 administering a therapeutically effective amount of a compound of formula (I), or a pharmaceutically acceptable salt or solvate thereof, as claimed in any one of claims 1 to 10 to a patient in need thereof.